



788 Phillips Drive  
 City of Industry, CA 91748  
**626.810.8760**  
 Fax 626.810.8763  
 www.gmpvitamin.com

**Certificate of Analysis**

<b>Product: Body Protective Complex 250mcg Capsules</b>	<b>Lot Number: 04E223</b>
<b>Manufacturing Date: 5/2023</b>	<b>Expiration Date: 5/2026</b>

<b>Analytical Testing:</b>	<b>Specification</b>	<b>Result</b>	<b>Methodology</b>
Body Protective Complex (BPC-157)	250mcg/ cap	250mcg/ cap*	HPLC
Arsenic	≤ 12.0 ppm	<0.005 ppm	ICP-MS
Cadmium	≤ 4.9 ppm	<0.005 ppm	ICP-MS
Lead	≤ 0.60 ppm	<0.005 ppm	ICP-MS
Mercury	≤ 0.36 ppm	<0.001 ppm	ICP-MS

<b>Organoleptic Testing:</b>	<b>Specification</b>	<b>Result</b>	<b>Methodology</b>
Description	Size "1" white capsules filled with powder	Size "1" white capsules filled with powder	Visual
Visual Defects	None	None	Visual
Average Fill Weight	340.0 mg ± 3% 329.8 – 350.2 mg	343.4 mg	Scale
Weight variation of nutritional supplement	All 20 samples tested within 90-110% of the average sample weight	All 20 samples tested within 375.1 – 458.4mg Average sample weight = 416.8 mg	USP <2091>
Disintegration	≤ 30 minutes	2 minutes 23 seconds	USP <2040>

<b>Microbiological Testing:</b>	<b>Specification</b>	<b>Result</b>	<b>Methodology</b>
Total Plate Count	≤ 10,000,000 CFU/g	< 10,000 CFU/g	FDA-BAM Chapter 3
Total Coliforms	≤ 100,000 CFU/g	<10 CFU/ g	FDA-BAM Chapter 4
Yeast & Mold	≤ 100,000 CFU/g	<1,000 CFU/ g	FDA-BAM Chapter 18
Staphylococcus Aureus	Negative	Negative	FDA-BAM Chapter 12
Salmonella	Negative	Negative	FDA-BAM Chapter 5
E. Coli	Negative	Negative	FDA-BAM Chapter 4

Other ingredients: Rice Powder, Microcrystalline Cellulose, Hydroxypropyl Methylcellulose, Magnesium Stearate, Silica, Titanium Dioxide.

\*Based on input

  
 \_\_\_\_\_  
 Mark Sim / Quality Assurance-